

U070017500

Revision no.: 1.00

Revision date: 12.01.2018 Print date: 12.01.2018 Page 1 of 7

#### 0. General notes

These products are articles according to article 3.3 of regulation (EC) no. 1907/2006 (REACh). It is not necessary to supply a Safety Data Sheet for these products. Safety Data Sheets stipulate according to Article 31 for hazardous substances and preparations, but not for articles. UNIPHOS is obliged to supply its customers with appropriate information to ensure safe handling. A special format is not required for this information.

## 1. Identification of the substance/mixture and of the company/undertaking

Product identifier: Pre-Tube Methylene Chloride (DB)
Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture: Pre-Tube

Uses advised against: The product is to be used exclusively for the applications

named in the directions for use.

Details of the supplier of the safety data sheet

Company name: UNIPHOS ENVIROTRONIC PVT. LTD.

Street: Readymoney Terrace 167, Dr. Annie Besant Road, Worli

 Place:
 Mumbai 400018, India

 Telephone:
 +91 22 61233500

 Telefax:
 +91 22 24978119

 Emergency telephone:
 +91 22 61233500

Further Information: Apply Safety data sheet to the following products:

Part-No. Product name

CF000639 SMC-4M Pre-Tube Methylene Chloride (DB)

#### 2. Hazards identification

Classification of the substance or This mixture is not classified as dangerous according to

mixture: Directive 1999/45/EC.

As an article the product does not need to be labelled in accordance with EC-directives or respective national laws.

Label elements

Hazardous components which must be Sulfuric acid fuming

listed on the label: Chromium trioxide, phosphoric acid

Precautionary statement(s) P102 Keep out of the reach of children.

P262 Do not get in eyes, on skin, or on clothing.

P305 + P351 + P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P302 + P352 – IF ON SKIN: Wash with plenty of soap and water. P301 + P310 – IF SWALLOWED: Immediately call a POISON

CENTER or doctor/physician.



U070017500

Revision no.: 1.00

Revision date: 12.01.2018 Print date: 12.01.2018 Page 2 of 7

Additional advice on labelling: As an article the product does not need to be labelled in

accordance with EC-directives or respective national laws.

Detector tube: No hazards deemed to be of major importance.

Content: May cause cancer. May cause heritable genetic

damage. Harmful by inhalation. Causes burns.

## 3. Composition/information on ingredients

**Mixtures** 

Other hazards:

Chemical characterization: Sealed glass tube, filled with inert granules, treated with

oleum, chromiumtrioxide and phosphoric acid.

### **Hazardous components**

EC No.	Chemical name	Quantity
CAS No.	Classification	
Index No.	GHS classification	
REACH No.		
-	Sulfuric acid fuming	5 - 9 %
8014-95-7	C	
	Skin Corr. 1; H335 H314	
215-607-8	Chromium trioxide	<3 %
1333-82-0	O, Carc. Cat. 1, Muta. Cat. 2, Repr. Cat. 3, T+, T, C, N	
024-001-00-0	Ox. Sol. 1, Carc. 1A, Muta. 1B, Repr. 2, Acute Tox. 2, Acute Tox. 3, Acute Tox. 3, STOT RE 1, Skin Corr. 1A, Resp. Sens. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H271 H350 H340 H361f H330 H311 H301 H372 H314 H334 H317 H400 H410	
231-633-2	Phosphoric acid	<20 %
7664-38-2	7664-38-2 C	
015-011-00-6 Skin Corr. 1B; H314		

Full text of H- and P-phrases: see section 16.

### 4. First aid measures

Description of first aid measures

**After inhalation:** Not applicable for intact detector tubes.

When indicator material is spilled: Inhalation of vapours: Move

to fresh air. Call a physician immediately.

After contact with skin: Not applicable for intact detector tubes.

When indicator material is spilled: Wash off immediately with plenty of water. Consult a physician. Cut be handled through a

doctor.



U070017500

Revision no.: 1.00

Revision date: 12.01.2018 Print date: 12.01.2018 Page 3 of 7

After contact with eyes: Not applicable for intact detector tubes.

When indicator material is spilled: Rinse immediately with plenty of water, also under the eyelids. Consult an

ophthalmologist immediately.

**After ingestion:** Not applicable for intact detector tubes.

When indicator material is spilled: Call a physician immediately. If conscious, drink plenty of water.

### 5. Fire-fighting measures

**Extinguishing media** 

Suitable extinguishing media: The product itself does not burn. Use extinguishing measures

that are appropriate to the environment.

Extinguishing media which must not be

used for safety reasons:

Special hazards arising from the

substance or mixture:

None.

None.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Methods and material for containment

and cleaning up:

Release not possible if used properly.

When indicator material is spilled: Dilute with water. Soak up the product with absorbent, non-flammable material (acid binding agent). Avoid contact of breakage of glass and indicator material. Dispose of as described in section 13.

### 7. Handling and storage

Precautions for safe handling

Advice on safe handling: Advice on protection against fire and

explosion:

See the specific Instruction for use. No special precautions required.

Conditions for safe storage, including any incompatibilities

Advice on storage compatibility: Do not store together with edibles.

Further information on storage See the specific Instruction for use. Recommended storage

conditions: temperature: 20°C

### 8. Exposure controls/personal protection

**Control parameters** 



U070017500

Revision no.: 1.00

Revision date: 12.01.2018 Print date: 12.01.2018 Page 4 of 7

#### Exposure limits (EH40 / OSHA PEL / ACGIH TLV)

CAS No. Chemical name		Category	mg/m³	Origin
- Chromium (VI) cor	mpounds (as Cr)	TWA (8 h) STEL (15 min)	0.05	WEL / OSHA PEL/ ACGIH WEL / OSHA PEL/ ACGIH
7664-93-9 Sulphuric acid (mis	st)	TWA (8 h) STEL (15 min)	1 3	EU/ OSHA PEL/ ACGIH ACGIH
7664-38-2 Orthophosphoric	acid	TWA (8 h) STEL (15 min)	1 2	WEL / OSHA PEL/ ACGIH WEL

Additional advice on limit values: Release not possible if used properly.

**Exposure controls** 

Protective and hygiene measures: Avoid contact with eyes or skin after breaking of the tub tips.

Avoid contact of breakage of glass and indicator material. Do not take up glass breads and content of the tube with bare hands. Wash hands before breaks and at the end of the

workday.

Respiratory protection:Not required.Hand protection:Not required.Eye protection:Not required.Skin protection:Not required.

### 9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state: Granules in a glass tube.

**Colour:** Yellow/Orange

Odour: pungent

pH-Value (at 20 °C): 2 50 g/l water

Changes in the physical state

Melting point:n.a.Boiling point:n.a.Flash point:n.a.Lower explosion limits:n.a.Upper explosion limits:n.a.Vapour pressure:n.a.

Water solubility: partly soluble

(at 20 °C)

Viscosity / dynamic: n.a.

## 10. Stability and reactivity

Reactivity: None if handled correctly in accordance with the instructions for use.

Possibility of hazardous reactions: None under recommended use and storage conditions.

**Conditions to avoid:**None if handled correctly in accordance with the instructions for use.

Hazardous decomposition products: No decomposition if stored and applied as directed.



U070017500

Revision no.: 1.00

Revision date: 12.01.2018 Print date: 12.01.2018 Page 5 of 7

Further information: After the opening of the tube: Sensitive to air (discolouration )

### 11. Toxicological information

Information on toxicological effects

**Toxicocinetics, metabolism and**Not applicable for intact detector tubes.

distribution: When indicator material is spilled: No data available.

Acute toxicity: Not applicable for intact detector tubes.

When indicator material is spilled: No data available.

CAS No.	Chemical name				
	Exposure routes	Method	Dose	Species	h
1333-82-0	Chromium trioxide				
	Acute oral toxicity	LD50	50 mg/kg	rats	
	Acute dermal toxicity	LD50	55 mg/kg	rats	
7664-38-2	664-38-2 Phosphoric acid				
	Acute oral toxicity	LD50	1530 mg/kg	rats	
	Acute dermal toxicity	LD50	2740 mg/kg	rabbit	

Irritation and corrosivity: Not applicable for intact detector tubes.

In the formation of vapours: Vapours may be irritating to eyes,

nose, throat, and lungs. May cause skin irritation.

Ingestion causes burns of the upper digestive and respiratory

tracts.

Sensitizing effects: Not applicable for intact detector tubes.

Chromium trioxide: May cause sensitization by inhalation and

skin contact.

Carcinogenic/mutagenic/toxic effects

for reproduction:

Not applicable for intact detector tubes.

Chromium trioxide: Carcinogenic, category: K1. Mutagenic,

category: M2. May impair fertility, category: RF3.

## 12. Ecological information

**Toxicity:** Not applicable for intact detector tubes.

When indicator material is spilled: No data available.

CAS No.	Chemical name			
	Aquatic toxicity	Method Dose	Species	h
1333-82-0 Chromium trioxide				
	Acute crustacea toxicity	EC50 0,162 mg/l	Daphnia Magna	48
7664-38-2 Phosphoric acid				
	Acute fish toxicity	LC50 138 mg/l	Western mosquitofish - Gambusia affinis	96

Persistence and degradability: Not applicable for intact detector tubes.

When indicator material is spilled: No data available.

Further information: When indicator material is spilled: Should not be released into

the environment. Do not flush into surface water or sanitary

sewer system.



U070017500

Revision no.: 1.00

Revision date: 12.01.2018 Print date: 12.01.2018 Page 6 of 7

### 13. Disposal considerations

Waste treatment methods

Recommendation Waste disposal number of waste from residues/unused products:

150202

WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; absorbents, filter materials, wiping cloths and protective clothing; absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by dangerous substances

- 1) Do not dispose of used tubes carelessly, take precautions to prevent the contents from entering creeks, rain water run-off, sewers or water supplies.
- Follow all local, state and federal laws and regulations regarding waste
- 3) A box of Uniphos detector tubes contain less than 0.5 grams of hazardous materials and as such are classified a small quantity exception for transportation (49 CFR 173.4) and require no special shipping consideration.

Recommendation Waste disposal number of contaminated packaging:

150101

WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); paper and cardboard packaging

#### 14. Transport information

Land transport (ADR/RID)

Other applicable information (land

transport):

Not classified as dangerous regarding transport regulations.

Inland waterways transport

Other applicable information (inland

waterways transport):

Not classified as dangerous regarding transport regulations.

Marine transport

Other applicable information (marine

transport):

Not classified as dangerous regarding transport regulations.

Air transport

Other applicable information (air

transport):

Not classified as dangerous regarding transport regulations.

## 15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture National regulatory information

#### 16. Other information

Changes: Sections which have been changed in comparison to the

preceding edition: None



U070017500

Revision no.: 1.00

Revision date: 12.01.2018 Print date: 12.01.2018 Page 7 of 7

### Full text of P-statements referred to under sections 2 and 3:

P102 Keep out of the reach of children.

P262 Do not get in eyes, on skin, or on clothing.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P302 + P352 – IF ON SKIN: Wash with plenty of soap and water. P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

Full text of H-Statements referred to	
under sections 2 and 3:	

H271	May cause fire or explosion; strong oxidiser.			
H272	May intensify fire; oxidiser.			
H301	Toxic if swallowed.			
H311	Toxic in contact with skin.			
H314	Causes severe skin burns and eye damage.			
H315	Causes skin irritation.			
H317	May cause an allergic skin reaction.			
H319	Causes serious eye irritation.			
H330	Fatal if inhaled.			
H334	May cause allergy or asthma symptoms or			
	breathing difficulties if inhaled.			
H335	May cause respiratory irritation.			
H340	May cause genetic defects.			
H350	May cause cancer.			
H361f	Suspected of damaging fertility.			
H372	Causes damage to organs through prolonged or			
	repeated exposure.			
H400	Very toxic to aquatic life.			
H410	Very toxic to aquatic life with long lasting effects.			
The information	on is based on present levels of our knowledge.			
It does not, however, give assurances of product properties				

#### **Further Information:**

and establishes no contract legal rights. The product is to be used exclusively for the applications named in the technical leaflet or in the processing instructions. The receiver of our product is singularly responsible for

adhering to existing laws and regulations.

n.a. = not applicable n.d. = not determined

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)