

Revision no.: 1.00 Revision date: 19.03.2018

Print date: 19.03.2018

U070021800

Page 1 of 7

### 0. General notes

2.

These products are articles according to article 3.3 of regulation (EC) no. 1907/2006 (REACh). It is not necessary to supply a Safety Data Sheet for these products. Safety Data Sheets stipulate according to Article 31 for hazardous substances and preparations, but not for articles. UNIPHOS is obliged to supply its customers with appropriate information to ensure safe handling. A special format is not required for this information.

### 1. Identification of the substance/mixture and of the company/undertaking

Product identifier:	URPID Pre	URPID Pre-Filter Tube Benzene		
Relevant identified uses of the substance or mixture and uses advised against				
Use of the substance/mixture:	PID Pre-Fil	PID Pre-Filter Tube		
Uses advised against:		The product is to be used exclusively for the applications		
	named in th	named in the directions for use.		
Details of the supplier of the safety data shee	et			
Company name:	UNIPHOS E	UNIPHOS ENVIROTRONIC PVT. LTD.		
Street:	Readymon	Readymoney Terrace 167, Dr. Annie Besant Road, Worli		
Place:	Mumbai 40	Mumbai 400018, India		
Telephone:	+91 22 612	+91 22 61233500		
Telefax:	+91 22 249	78119		
Emergency telephone:	+91 22 61	233500		
	Apply Safety data sheet to the following products:			
Further Information:	Part-No.	Product		
	CF000896	PBE-1	URPID Pre-Filter Tube Benzene	
	CF000913	PBE-6	URPID Pre-Filter Tube Benzene	
. Hazards identification Classification of the substance or mixture:				
mixture:		As an article the product does not need to be labelled in		
Label demonstr	accordance with EC-directives or respective national laws.			aws.
Label elements		Chromium trioxide, sulphuric acid		
Hazardous components which must be	Chromium	trioxide, st	liphuric acid	
listed on the label: Precautionary statement(s)	P102 Keep out of the reach of children. P262 – Do not get in eyes, on skin, or on clothing.			
			- IF IN EYES: Rinse cautious	sly with
	water for several minutes. Remove contact lenses, if present			f present
	and easy to	o do. Conti	nue rinsing.	-
	P302 + P3	52 – IF ON	I SKIN: Wash with plenty of soap	and water.
			ALLOWED: Immediately call a	
	CENTER or doctor/physician.		-	
Additional advice on labelling:	As an articl	le the prod	uct does not need to be labelled	in
	accordance	e with EC-c	directives or respective national I	aws.



Revision no.: 1.00 Revision date: 19.03.2018

Other hazards:

Print date: 19.03.2018

U070021800

Page 2 of 7

Detector tube: No hazards deemed to be of major importance. Content: May cause cancer. May cause heritable genetic damage. Harmful by inhalation. Causes severe burns. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

### 3. Composition/information on ingredients

#### Mixtures

Chemical characterization:

Sealed glass tube, filled with inert granules, treated with sulphuric acid, chromiumtrioxide

#### Hazardous components

EC No.	Chemical name	Quantity
CAS No.	Classification	
Index No.	GHS classification	
REACH No.		
231-639-5	Sulphuric acid	<=7 - 8 %
7664-93-9	C	
016-020-00-8	Skin Corr. 1A; H314	
215-607-8	Chromium trioxide	0,2 - 0,3 %
1333-82-0	O, Carc. Cat. 1, Muta. Cat. 2, Repr. Cat. 3, T+, T, C, N	
024-001-00-0	Ox. Sol. 1, Carc. 1A, Muta. 1B, Repr. 2, Acute Tox. 2, Acute Tox. 3, Acute Tox. 3, STOT RE 1, Skin Corr. 1A, Resp. Sens. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H271 H350 H340 H361f H330 H311 H301 H372 H314 H334 H317 H400 H410	

Full text of P- and H-phrases: see section 16.

### 4. First aid measures

Description of first aid measures	
After inhalation:	Not applicable for intact detector tubes.
	When indicator material is spilled: Inhalation of vapours: Move
	to fresh air. If symptoms persist, call a physician.
After contact with skin:	Not applicable for intact detector tubes.
	When indicator material is spilled: Wash off immediately with
	plenty of water. Consult a physician. Cut be handled through a
	doctor.
After contact with eyes:	Not applicable for intact detector tubes.
	When indicator material is spilled: Rinse immediately with
	plenty of water, also under the eyelids. Consult an
	ophthalmologist immediately.
After ingestion:	Not applicable for intact detector tubes.
	When indicator material is spilled: Call a physician
	immediately. If conscious, drink plenty of water.



Revision no.: 1.00 Revision date: 19.03.2018

Print date: 19.03.2018

U070021800

Page 3 of 7

### 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media:	The product itself does not burn. Use extinguishing measures that are appropriate to the environment.
Extinguishing media which must not be used for safety reasons:	None.
Special hazards arising from the substance or mixture:	None.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Methods and material for containment and cleaning up: Release not possible if used properly.

When indicator material is spilled: Dilute with water. Soak up the product with absorbent, non-flammable material (acid binding agent). Avoid contact of breakage of glass and indicator material. Dispose of as described in section 13.

### 7. Handling and storage

Precautions for safe handling	
Advice on safe handling:	See the specific Instruction for use.
Advice on protection against fire and explosion:	No special precautions required.
Conditions for safe storage, including any	incompatibilities
Advice on storage compatibility:	Do not store together with edibles.
Further information on storage	See the specific Instruction for use. Recommended storage
conditions:	temperature: 20°C

### 8. Exposure controls/personal protection

**Control parameters** 

#### Exposure limits (EH40 / OSHA PEL / ACGIH TLV)

CAS No. Chemical name	Category	mg/m³	Origin
- Chromium (VI) compounds (as Cr)	TWA (8 h) STEL (15 min)	0.05	WEL / OSHA PEL/ ACGIH WEL / OSHA PEL/ ACGIH
7664-93-9 Sulphuric acid (mist)	TWA (8 h) STEL (15 min)	1 3	EU/ OSHA PEL/ ACGIH ACGIH



U070021800

# **URPID Pre-Filter Tube Benzene**

Revision no.: 1.00 Revision date: 19.03.2018 Print date: 19.03.2018 Page 4 of 7 Additional advice on limit values: Release not possible if used properly. **Exposure controls** Protective and hygiene measures: Avoid contact with eyes or skin after breaking of the tub tips. Avoid contact of breakage of glass and indicator material. Do not take up glass breads and content of the tube with bare hands. Wash hands before breaks and at the end of the workdav. Not required. **Respiratory protection:** Not required. Hand protection: Eye protection: Not required. Not required. Skin protection:

### 9. Physical and chemical properties

### Information on basic physical and chemical properties

Physical state: Colour: Odour:	Granules in a glass tube. Orange pungent	
pH-Value (at 20 °C):	2	Test method 50 g/l water
Changes in the physical state	L	
Melting point:	n.a.	
Boiling point:	n.a.	
Flash point:	n.a.	
Lower explosion limits:	n.a.	
Upper explosion limits:	n.a.	
Vapour pressure:	n.a.	
Water solubility: (at 20 °C)	partly soluble	
Viscosity / dynamic:	n.a.	

### 10. Stability and reactivity

Reactivity:
Possibility of hazardous reactions:
Conditions to avoid:
Hazardous decomposition products:
Further information:

None if handled correctly in accordance with the instructions for use. None under recommended use and storage conditions. None if handled correctly in accordance with the instructions for use. No decomposition if stored and applied as directed. After the opening of the tube: Sensitive to air (discolouration )

### 11. Toxicological information

Information on toxicological effects Toxicocinetics, metabolism and distribution: Acute toxicity:

Not applicable for intact detector tubes. When indicator material is spilled: No data available. Not applicable for intact detector tubes. When indicator material is spilled: No data available.



Revision no.: 1.00 Revision date: 19.03.2018

#### Print date: 19.03.2018

U070021800 Page 5 of 7

CAS No.	Chemical name			
	Exposure routes	Method Dose	Species	h
1333-82-0	Chromium trioxide			
	Acute oral toxicity	LD50 50 mg/kg	rats	
	Acute dermal toxicity	LD50 55 mg/kg	rats	

Irritation and corrosivity:	Not applicable for intact detector tubes. In the formation of vapours: Vapours may be irritating to eyes, nose, throat, and lungs. May cause skin irritation. Ingestion causes burns of the upper digestive and respiratory tracts.
Sensitizing effects:	Not applicable for intact detector tubes. Chromium trioxide: May cause sensitization by inhalation and skin contact.
Carcinogenic/mutagenic/toxic effects for reproduction:	Not applicable for intact detector tubes. Chromium trioxide: Carcinogenic, category: K1. Mutagenic, category: M2. May impair fertility, category: RF3

# 12. Ecological information

### Toxicity:

Not applicable for intact detector tubes. When indicator material is spilled: No data available.

CAS No.	Chemical name			
	Aquatic toxicity	Method Dose	Species	h
1333-82-0	Chromium trioxide			
	Acute crustacea toxicity	EC50 0,162 mg/l	Daphnia Magna	48

Persistence and degradability:	Not applicable for intact detector tubes. When indicator material is spilled: No data available.
Mobility in soil:	Not applicable for intact detector tubes.
	When indicator material is spilled: No data available.
Other adverse effects:	Not applicable for intact detector tubes.
	When indicator material is spilled: Harmful to aquatic
	organisms, may cause long-term adverse effects in the
	aquatic environment.
Further information:	When indicator material is spilled: Should not be released into
	the environment. Do not flush into surface water or sanitary
	sewer system.

### 13. Disposal considerations



Revision no.: 1.00 Revision date: 19.03.2018

products:

transport):

transport):

transport):

#### Print date: 19.03.2018

Page 6 of 7

Waste treatment methods

150202

**Recommendation Waste disposal** WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, number of waste from residues/unused FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; absorbents, filter materials, wiping cloths and protective clothing; absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by dangerous substances 1) Do not dispose of used tubes carelessly, take precautions to prevent the contents from entering creeks, rain water run-off, sewers or water supplies. 2) Follow all local, state and federal laws and regulations regarding waste 3) A box of Uniphos detector tubes contain less than 0.5 grams of hazardous materials and as such are classified a small quantity exception for transportation (49 CFR 173.4) and require no special shipping consideration. 150101 **Recommendation Waste disposal** WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, number of contaminated packaging: FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); paper and cardboard packaging 14. Transport information A box of Uniphos detector tubes contain less than 0.5 grams of hazardous materials and as such are classified a small quantity exception for transportation (49 CFR 173.4) and require no special shipping consideration. Land transport (ADR/RID) Not classified as dangerous regarding transport regulations. Other applicable information (land Inland waterways transport Other applicable information (inland Not classified as dangerous regarding transport regulations. waterways transport): Marine transport Other applicable information (marine Not classified as dangerous regarding transport regulations. Air transport Other applicable information (air Not classified as dangerous regarding transport regulations. 15. Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

U070021800



URPID Pre-Filter Tube Benzene Revision no.: 1.00			U070021800
Revision date: 19.03.2018	Print date: 19.03.2018 Page 7 of		Page 7 of 7
16. Other information			
Changes:	Sections which have been changed in comparison to the preceding edition: None.		
Abbreviations and acronyms:	n.a. = not applicable n.d. = not determined		
Full text of P-statements referred to under			
sections 2 and 3:	P102 P262 – Dou	Keep out of the reach of children. not get in eyes, on skin, or on clothing.	
		P305 + P351 + P338 – IF IN EYES: Rinse cautiously with	
		water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
	P302 + P352 – IF ON SKIN: Wash with plenty of soap and water. P301 + P310 – IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.		
Full text of H-Statements referred to under sections 2 and 3:	H271 H301	May cause fire or explosion; strong oxidis Toxic if swallowed.	ser.
under sections 2 and 3:	H311	Toxic in contact with skin.	
	H314	Causes severe skin burns and eye dama	ge.
	H317	May cause an allergic skin reaction.	-
	H330	Fatal if inhaled.	
	H334	May cause allergy or asthma symptoms of	or
	11240	breathing difficulties if inhaled.	
	H340 H350	May cause genetic defects. May cause cancer.	
	H361f	Suspected of damaging fertility.	
	H372	Causes damage to organs through prolor	nged or
		repeated exposure.	
	H400	Very toxic to aquatic life.	affa ata
Further Information:	H410 The informa	Very toxic to aquatic life with long lasting tion is based on present levels of our knowledge.	
	It does not, however, give assurances of product properties		
	and establishes no contract legal rights.		
	The product is to be used exclusively for the applications		
	named in the technical leaflet or in the processing instructions.		
	The receiver of our product is singularly responsible for		
	adhering to	existing laws and regulations.	

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)